



FIG.1




FIG.3




FIG.4






FIG.6



PQ 型 / PQ Core

型号 TYPE	图例 FIG.	尺寸 Dimensions (mm)						
		A	B	C	D	E	F	G
PQ32/30.7/22	1	32.0±0.5	15.35±0.15	22.0±0.5	13.4±0.3	27.5±0.5	10.85±0.15	20min
PQ32/35.5/22B	1	32+0.7/-0.3	17.75±0.2	22±0.5	13.4±0.3	27.5±0.5	13.25±0.2	19.5min
PQ32/35A	1	32+0.7/-0.5	17.75±0.125	22.0±0.5	13.45±0.25	27.5±0.5	13.25±0.15	19min
PQ32/31/22	1	32.0±0.5	15.5±0.2	22.0±0.5	13.5±0.25	27.5±0.5	10.9±0.2	19.3min

C1	Ae	Le	Amin	Ve	AL(±25%)				重量 g / PRS
					TP4	TP4A	TP4W	TPW33	
0.47	163.24	76.54	140.10	12494.7	4300	4500	5400	5800	64.84
0.53	152.70	81.61	131.93	12461.45	3900	4000	4800	5200	64.67
0.52	165.98	86.65	140.57	14381.5	3900	4000	4900	5300	74.63
0.46	166.98	76.65	142.08	12798.2	4400	4500	5400	5800	66.42





FIG.1





FIG.2




FIG.5





FIG.7




FIG.8





FIG.9

PQ 型 / PQ Core

型号 TYPE	图例 FIG.	尺寸 Dimensions (mm)						
		A	B	C	D	E	F	G
PQ35/26	1	35.1±0.6	13±0.2	26.0±0.5	14.35±0.25	32.0±0.5	8.1±0.2	23.5MIN
PQ35/27D	1	35.1±0.6	13.5±0.2	26±0.5	14.35±0.25	32±0.5	8.5±0.2	23.5min
PQ35/30	1	35.1±0.6	14.9±0.2	26.0±0.5	14.35±0.25	32.0±0.5	10.0±0.2	23.5min
PQ35/33	1	35.1±0.6	16.5+0/-0.25	26.0±0.5	14.35±0.25	32.0±0.5	11.5±0.2	23.5MIN
PQ35/35D	1	35.1±0.6	17.4±0.2	26.0±0.5	14.35±0.25	32.0±0.5	12.5±0.2	23.5MIN
PQ36/22.2/26A	8	36±0.6	11.1±0.15	26±0.5	18±0.4	29.5min	6.9±0.15	18.57min
PQ36/35/26	1	36±0.55	17.4±0.1	26±0.5	14.5+0/-0.4	33±0.5	12.5±0.1	24.3min
PQ38/11B	2	38±0.65	5.7±0.15	21.32±0.4	14.3±0.25	32.8±0.65	2.7±0.15	25.84min
PQ38/13I	2	38±0.65	6.5±0.15	21.32±0.4	14.3±0.25	32.8±0.65	3.5±0.2	25.84min
PQ38/14.2/21.3A	2	38±0.65	7.1±0.15	21.32±0.4	14.3±0.25	32.8±0.65	4.1±0.15	25.84min
PQ38/13.7/26.4B	9	38±0.65	7.05±0.1	26.4±0.5	8.4±0.2	34.2±0.65	4.3±0.15	17±0.25
PQ38/16/21.3B	2	38±0.65	8±0.15	21.32±0.4	14.3±0.25	32.8±0.65	4.6+0.2/-0.1	26.5±0.65
PQ39/20/20A	7	38.7±0.6	9.75±0.2	19.6±0.4	14.8±0.3	31.7+0.7/-0.5	5.35±0.2	26+0.8/-0.4
PQ39.5/20.3/32.5B	5	39.5±0.6	10.15±0.15	32.5±0.6	19±0.35	36±0.65	6.65±0.25	22.3min
PQ40.5/30.9/27.9	1	40+1.4/-0.4	15.43±0.12	28+0.45/-0.6	15+0/-0.6	36.4min	10.28±0.15	27.2min
PQ40/13.5/21	2	40±0.5	6.75±0.2	21±0.25	14.2±0.2	32.6min	3.7±0.2	26.4min
PQ40/25	1	40.0+1.4/-0.4	12.5±0.15	28+0.45/-0.6	15.0+0/-0.6	36.4min	7.25±0.2	27.2min
PQ40/30	1	40.0+1.4/-0.4	15.13±0.12	28.0+0.45/-0.6	15.0+0/-0.6	36.4min	9.98±0.15	27.2min
PQ40/40A	1	40.0+1.4/-0.4	20.0+0/-0.25	28.0+0.45/-0.6	15.0+0/-0.6	36.4min	14.6+0.3/-0	27.2min
PQ40/7	2	40±0.5	6.5±0.2	21±0.25	14.2±0.2	32.6min	3.45±0.2	26.4min
PQ40.5/23.6/28	1	40.5±0.8	11.8+0.1/-0.15	28±0.6	15+0/-0.6	37±0.8	6.65±0.15	27.2min

C1	Ae	Le	Amin	Ve	AL(±25%)				重量 g / PRS
					TP4	TP4A	TP4W	TPW33	
0.38	182.89	68.83	161.73	12587.6	5500	5600	6700	7200	65.32
0.38	184.21	70.72	161.73	13027	5300	5500	6600	7100	67.60
0.42	182.93	77.18	161.73	14118	5000	5100	6200	6600	73.27
0.46	182.70	83.73	161.73	15296.7	4600	4800	5800	6200	79.38
0.48	182.96	88.17	161.73	16130.7	4400	4600	5500	6000	83.71
0.22	259.83	56.71	246.06	14734.17	9700	10000	11000	12000	76.46
0.49	181.12	89.23	160.61	16160.8	4400	4500	5400	5900	83.87
0.33	130.60	43.00	96.89	5601	4700	4800	5700	6000	29.07
0.34	133.40	46.02	96.92	6138.9	4500	4600	5400	5800	31.86
0.36	134.12	48.62	96.92	6520.2	4300	4400	5200	5600	33.84
0.32	142.09	44.15	112.25	6273.3	5300	5500	6400	6900	34.80
0.36	144.82	52.34	108.23	7580	4500	4700	5500	5900	39.34
0.33	176.08	57.74	142.61	10167.1	5500	5700	6800	7300	52.76
0.19	278.79	52.63	227.50	14673	9500	9800	11600	12400	76.15
0.42	198.53	83.99	169.72	16675.1	4900	5000	6000	6500	86.54
0.35	137.73	47.59	98.92	6554	4400	4600	5400	5800	34.01
0.35	200.15	70.87	169.72	14184.8	5600	5800	6900	7400	73.61
0.42	198.53	82.68	169.72	16414.5	4900	5100	6100	6600	85.18
0.52	198.03	103.55	169.72	20505.6	4100	4200	5100	5500	106.41
0.34	137.09	46.58	98.92	6385.5	4500	4700	5500	5800	33.14
0.33	206.14	67.47	176.71	13908.1	6100	6300	7500	8000	72.18




FIG.1




FIG.6

PQ 型 / PQ Core

型号 TYPE	图例 FIG.	尺寸 Dimensions (mm)						
		A	B	C	D	E	F	G
PQ40.5/30.3/28A	1	40.5±0.9	15.15±0.1	28±0.6	14.9±0.3	37±0.6	10±0.15	27.8min
PQ40.5/30/28A	1	40.5±0.7	15±0.2	27.8±0.4	14.9±0.3	37±0.6	9.85±0.2	28min
PQ40.5/35/28	1	40.5±0.7	17.5±0.2	28+0.45/-0.6	14.8±0.3	37±0.6	12.35±0.2	27.2min
PQ40.5/35/28A	1	40.5±0.7	17.5±0.2	28+0.45/-0.6	14.8±0.3	37±0.6	12.35±0.2	27.8min
PQ40.5/39.3/28	1	40.5±0.9	19.65+0.1/-0.15	28±0.6	14.9±0.3	37±0.6	14.65±0.15	28min

C1	Ae	Le	Amin	Ve	AL(±25%)				重量 g /PRS
					TP4	TP4A	TP4W	TPW33	
0.41	203.38	82.65	174.37	16809.4	5100	5200	6300	6800	87.23
0.41	188.10	77.02	171.79	14487.08	5300	5500	6600	7100	75.18
0.46	202.70	92.66	172.03	18783	4500	4700	5700	6100	97.47
0.46	201.86	92.94	172.03	18760.1	4500	4700	5600	6100	97.36
0.51	201.56	102.72	174.37	20703.6	4200	4400	5300	5700	107.44